

AHRI Ref. #	Outdoor Unit Model Number	Indoor Unit Model Number	Cooling Capacity (95F)	EER2 (95F)	SEER2	Heating Capacity (47F)	HSPF2 (Region IV)	Heating Capacity (17F)	Full-Load Cooling Air Volume Rate, scfm	Heating Capacity (17F)	Full-Load Cooling Air Volume Rate, scfm
218001513	DHP5048E1000*	D4AH4P49E1B00*	44000	11.7	14.3	43000	7.5	27000	1540	27000	1540
218001512	DHP5048E1000*	D4AH4E49E1B00*	44000	11.7	14.3	43000	7.5	27000	1540	27000	1540
218001511	DHP5024E1000*	DWM5P241B00*	22000	11.7	14.3	22000	7.5	13400	795	13400	795
218001510	DHP5024E1000*	DWM5E241B00*	22000	11.7	14.3	22000	7.5	13400	795	13400	795
218001509	DHP5018E1000*	DWM5P181B00*	17000	11.7	14.3	16400	7.5	10400	690	10400	690
218001508	DHP5018E1000*	DWM5E181B00*	17000	11.7	14.3	16400	7.5	10400	690	10400	690
218001507	DHP5060E1000*	D4AH4E60E1B00*	55000	11.2	14.3	55000	7.5	34000	1600	34000	1600
218001506	DHP5042E1000*	D4AH4P42E1B00*	38000	11.7	14.3	39000	7.5	24000	1170	24000	1170
218001505	DHP5042E1000*	D4AH4E42E1B00*	38000	11.7	14.3	39000	7.5	24000	1170	24000	1170
218001504	DHP5036E1000*	D4AH4P36E1B00*	32000	11.7	14.3	32000	7.5	20600	1070	20600	1070
218001503	DHP5036E1000*	D4AH4E36E1B00*	32000	11.7	14.3	32000	7.5	20600	1070	20600	1070
218001502	DHP5030E1000*	D4AH4E30E1B00*	26400	11.7	14.3	26000	7.5	15000	990	15000	990
218001501	DHP5030E1000*	DWM5E311B00*	26400	11.7	14.3	26000	7.5	15400	990	15400	990
218001500	DHP5024E1000*	D4AH4P24E1B00*	22000	11.7	14.3	22000	7.5	13000	750	13000	750
218001499	DHP5036E1000*	DWM5E361B00*	32000	11.7	14.3	32000	7.5	18400	1040	18400	1040
218001498	DHP5018E1000*	D4AH4P19E1B00*	16000	11.7	14.3	16400	7.5	10400	740	10400	740

--	--	--	--	--	--	--	--	--

--	--	--